

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	863	(307/10.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/13 09:36
S2	14665	anti adj theft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:33
S3	56149	key with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:34
S4	10201	(vehicle automobile car) and key with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:34
S5	822	(vehicle automobile car) and key with code same detect\$4 same (control\$3 CPU \$processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:35
S6	211	(vehicle automobile car) and key with code same detect\$4 same (control\$3 CPU \$processor) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:35
S7	34	(vehicle automobile car) and key with code same detect\$4 same (control\$3 CPU \$processor) same memory same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:59
S8	8	(vehicle automobile car) and theft and key same (control\$3 CPU \$processor) same prohibit\$3 with rotation\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:03

S9	983	(vehicle automobile car) and theft and key same (control\$3 CPU \$processor) same turn\$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:04
S10	100	(vehicle automobile car) and theft and key same (control\$3 CPU \$processor) same (prohibit\$3 stop\$3 disabl\$3) with turn\$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:07
S11	29	(vehicle automobile car) and theft and key same (control\$3 CPU \$processor) same (prohibit\$3 stop\$3 disabl\$3) with turn\$3 adj3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:52
S12	90	code with reflective adj light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:53
S13	61	optical adj code with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:29
S14	4	optical adj code with key same identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:29
S15	17698	optical adj read\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:37
S16	7513	optical adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:37

S17	1070	optical adj reader same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:37
S18	671	optical adj reader same method and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:38
S19	413	optical adj reader with method and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:38
S20	153	optical adj code with read\$3 with method and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:42
S21	197	alarm same predetermined with time same (match identical) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:45
S22	33	alarm same predetermined with number with time same (match identical) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:45
S23	192	(benefit advantage) same optical adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:54
S24	102	(benefit advantage) with optical adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:54